

WELCOME TO THE

Wonderful World of Water

San Juan Pools

an Juan started in Seattle Washington in 1958 and was the first company to apply the then new material of fiberglass to pool construction. San Juan created and leads the one-piece fiberglass pool industry.

arranty: 25 year limited warranty on the shell and 10 year limited warranty on the gel coat finish. At San Juan, you can be confident that we back our fiberglass pools as solidly as we build them. San Juan craftsmen assemble every fiberglass pool with meticulous attention to detail using the highest quality materials available.


nnovation, ingenuity and creativity make San Juan pools the worldwide leader in swimming pool technology. We create custom fiberglass pool designs which offer you numerous advantages that concrete and vinyl liner pools cannot match. The satin-smooth finish and rounded corners of your San Juan pool will not chip, tear or harbor bacteria and algae.

anufacturing fiberglass pools since 1958, San Juan has and always will set the standard in the swimming pool industry. Your San Juan fiberglass dream pool is just a phone call away!









ABOUT SAN JUAN POOLS

Since 1958, San Juan has grown from a small Washington based company to a well governed nationwide organization with numerous manufacturing plants thought the United States. Along with each plant's network of locally owned independent authorized San Juan Dealers, they design and craft the most elegant fiberglass pools in America.

That first San Juan Fiberglass pools started a worldwid revolution in the manufacturing of fiberglass swimming pools and while many have tried to copy San Juan Fiberglass pools, none have succeeded. Now over 60 years later, quality San Juan Fiberglass pools are being installed in beautiful homes all over the world.



GLOBAL MARKET LEADER

Since 1958 San Juan Pools has led the world in Fiberglass Pool technology

Fiberglass swimming pools were invented by San Juan Pools over 60 years ago and are available worldwide.

With over 600 independent dealers nationwide, and tens of thousands of pools across America and the world.

San Juan Pools is a family owned business - from our family to your family we deliver excellence.

MASTER CRAFTSMEN

San Juan Pools continues to lead the world in Pool Construction Excellence. Each San Juan Fiberglass Pool is constructed by Master Craftsmen who draw on 60 years of innovation and construction expertise. Your San Juan Pool is hand built with care - to last a lifetime.

MAXIMUM VALUE

Your pool becomes part of your home and a San Juan pool will look just as good in 30 years as the day it was first installed - our legendary quality ensures your home retains its beauty and value when it's time to sell.

For 60 years San Juan Pools has outlasted competitors and imitators, steadfastly producing the finest fiberglass swimming pool available today.



Lakeland, Florida



Eloy, Arizona



Wolcott, Indiana








SAN JUAN

BUILDS THE STRONGEST POOLS IN THE WORLD



TIME LAPSE Installing a SJP Pool





TIME LAPSE **Building a SJP Pool**

COLD RESISTANT

Even under the extreme cold temperature by using Liquid Nitrogen (-321degrees fahrenheit) a San Juan Fiberglass pool doesn't fail. As you can see in the photos, vinyl liners and concrete crack and break, San Juan does not. This proves that San Juan Pools hold up in extreme cold temperatures.







ACID RESISTANT

Muriatic Acid can't harm a San Juan Fiberglass Pool! Acid is a major component in your water chemistry and when not maintained properly it can hurt the finish. This test shows how swimming pool acid can destroy a concrete pool. Pouring Muriatic Acid directly on a concrete pool starts destroying it immediately, however, it has no effect on San Juan pools.










BULLET RESISTANT


Bullet-Proof San Juan Fiberglass Pools! That's right bullet-proof! A 9mm, 380, 45 and 44 magnum did not penetrate the San Juan Pool. This demonstrates the incredible strength of our hand-laid fiberglass pools. Chopped fiberglass pools offer no resistance as seen in the bottom photo.











| Andy Winton | 863-289-4386 |
|---------------|--------------|
| Ben Adams | 337-278-0818 |
| Bob Fergione | 704-363-0500 |
| Gary Prickett | 863-738-1282 |
| John Paravola | 630-918-7665 |

| Mark Peditto | 609-352-7069 |
|--------------|--------------|
| Seth Mayer | 978-833-0539 |
| Kevin Smith | 863-701-6007 |
| Adam Brown | 613-483-1617 |

HEAT RESISTANT

Using a high temperature acetylene torch (5,700 degrees fahrenheit) with its ability to cut through steel still can't hurt a San Juan Pool as you can see in these photos. This proves that San Juan Pools hold up in extreme hot temperatures.








SAN JUAN HIGH-STRENGTH HAND-LAID FIBERGLASS **POOLS DON'T REQUIRE LEDGES!**


Cheap sprayed on fiberglass pools are built with ledges around them. They

are marketed as "safety ledges". These ledges are added to compensate



for the weakness of chopped fiberglass pools. Rather than offer safety, they can actually increase the risk of injury. They also make the bottom of the pool significantly narrower and reduce the play area.







A SAN JUAN FIBERGLASS POOL

HAS SOME SIMILARITIES TO THE COMMON concrete pool, however fiberglass pools bring significant advantages...

Our fiberglass pools are pre-formed and ready to install. We have over 85 designs from small patio pools to some almost 50' long. Whereas a concrete pool takes a very long time to build - often as long as 6 months or longer. A San Juan fiberglass pool can be installed and ready to swim in as little as two week's time. In fact, the only way to tell the difference between a concrete pool and a San Juan Fiberglass pool once they are installed, is that the San Juan fiberglass pool will look just as beautiful as the day it was installed - and that's a big difference.

When people ask us about installing a San Juan fiberglass pool, we will sometimes compare the process to buying a new car - something we have all done with ease. Most new cars today are offered with a base price and then options and additions are added to get the final configuration for the model you want. A new San Juan fiberglass pool is offered in exactly the same manner. There will be a base price and at that point if you decide not to add anything you will have the full use of your new San Juan fiberglass pool for decades. It will be "swim ready." Many of us, however, will want to consider optional items such as heaters, additional decking, decorative lighting, water features and all the wonderful things that add to your project's final configuration.

As you move closer to finally deciding which San Juan fiberglass pool will meet your needs, there are some considerations that should enter into the decision making process.



WHY DO YOU **WANT A POOL?**

This would seem to be self explanatory, but your decision to purchase a new San Juan Fiberglass pool might be based on the needs of your family. It might be for your healthy lifestyle, or it might be for entertaining. Each reason will dictate a different style swimming pool, and you should spend time with your sales professional discussing your needs and expectations to be certain your pool is designed to meet all your needs.

WHAT WILL YOU USE THE POOL FOR?

If you want a pool for family sports, that will be a completely different pool from one used to swim laps. San Juan fiberglass pools have a pool design to fulfill every possible requirement.

Take a moment and examine all the possibilities. Often your new pool will need to fulfill multiple roles, from health considerations to family entertainment, and our pool/spa combinations, or sport pools might be exactly what meets your needs. With San Juan fiberglass pools the possibilities are endless.

WHO WILL DO THE MAINTENANCE?

Swimming pool maintenance used to be a big deal, but with new technologies available today, pool maintenance for your new San Juan fiberglass pool is a snap. Fiberglass pools by their nature have significantly reduced maintenance needs. It is possible to build a new San Juan fiberglass pool that is virtually maintenance free. By adding automatic covers, chlorinators and automatic chemical feeders, along with the new robotic pool cleaners, it is possible to leave the pool maintenance to the machines.



Pool Buying Comparative

Fiberglass Pools vs. Gunite vs. Vinyl liner **Features Benefits** Difference Difference Warranty 25 year non-prorated Pro-rated only on One year structural warranty by contractor seam separation Within days Installation Time 8 + weeks 5 weeks Manufactured in a Quality dependent Quality dependent **Product Quality** on work force on job-site conditions controlled environment **Design Options Unlimited** 100+ models Limited to standard shapes to choose from **Durability** Flexes under Rigid, cracks **Punctures** with movement and tears pressure Interior Finish Smooth, skin friendly Very rough Slippery, rough seams One-piece Only at an Drop in type Swim outs, steps, benches, sundecks molded in additional cost or ladder **Water Chemistry** No harsh chemicals Requires No harsh chemicals muriatic acid needed needed

Eco Friendly

San Juan

Lower chemical use means less impact to the environment. Little or no chemical runoff to harm water table and up to 75% less packing material going to landfills.

Because of the smooth fiberglass finishes, algaes and mildew will not adhere, this enables shorter pump run times, less than half of a gunite pool, resulting in much less electrical consumption and lower monthly bills. Self insulated fiberglass construction increases the pools ability to maintain water temperature. This also shortens heater run times reducing the energy needed to keep your pool warm.



SAN JUAN PRODUCTS DISCLAIMER

San Juan Products Inc. manufactures fiberglass pools and distributes its pools through its independent dealers (the "Dealers") The relationship between San Juan products any other similar relationship. No Dealer has any authority of any kind or nature whatsoever to enter into any contract or agreement binding upon San Juan Products, or any or of any partner or affiliate of San Juan Products. San Juan Products has no responsibility or liability whatsoever for or with respect to any persons performing any services Dealer are and shall remain such, Dealer's employees, contractors and /or agents. San Juan Products has no right to control or direct any employees, contractors and /or of any Dealer, whether installation services, repair services or any other services, shall ever be construed to be employees, contractors or agents of San Juan Products, or

All measurements are outside dimensions (OD) and are approximate. Dimensions may vary upon installation. Check local and state building codes for diving San Juan Products disclaims any liability for any act or omission on behalf of any Dealer. San Juan Products obligation concerning pools manufactured by it is limited to Images Disclaimer: San Juan Pools has made a concerted effort to provide images that accurately represent the actual color of your pool, however the Iridium process colors of the product. Please contact San Juan to receive an actual color sample to truly experience the beauty of Iridium!

Fiberglass Pool Construction Comparative

San Juan
Fiberglass Pools
Benefits

Features

Chopped / Composite Fiberglass Pools Difference

| - Cutul Co | | J |
|-------------------|---|---|
| Gel Coat | 32-Mil total | 15-Mil typical |
| Vinyl Ester Resin | Used throughout entire pool | Typically used on first layer only |
| Hand Laid | Consistent level of thickness overlapping seams creates a super structure 15 layers thick | No consistency in thickness Sprayed on |
| Woven Roving | Provides significant strength to entire pool | <u>Not used</u> on chopped pools |
| Sprayed Chop | Not used on San Juan Pools | Lowest cost construction method |
| Resin | Higher glass to resin ratio | Lower glass to resin ratio |
| Coring & Fillers | Not used on San Juan Pools | Makes walls brittle Inhibit flexural strength |
| Interior ledges | Not needed on hand laid pools | Used to stiffen pool walls, makes area smaller |

San Juan high-strength hand-laid fiberglass pools don't require ledges!

Cheap sprayed on fiberglass pools are built with ledges around them. They are marketed as "safety ledges". These ledges are added to compensate for the weakness of chopped fiberglass pools. Rather than offer safety, they can actually increase the risk of injury. They also make the bottom of the pool significantly narrower and reduce the play area.



All dealers/contractors are independent and not agents for manufacturers.

and each of the Dealers is an independent contractor relationship and shall never be deemed or construed to be an employment, a partnership, a joint venture, an agency or partner or affiliate of San Juan Products. Furthermore, no Dealer has any authority of any kind or nature whatsoever to create any obligation on the part of San Juan Products, on the part of any dealer including, without limitation. Any installation services or any repair services, and all such persons performing any such services on the part of any agents of any Dealer, with each Dealer having the sole right to control and direct its employees, contractors and /or agents. No persons performing any services on the part of any partner or affiliate of San Juan Products.


specifications. Diving requirements may vary by region. All quick entry devices shall be installed in accordance with the manufacturer's specifications. San Juan Products Limited Warranty to Original Retail Buyer. (Limited Warranty to original retail buyer).

contains natural variations in color, tone, and grain that are difficult to reproduce on brochures and monitors. We cannot guarantee that these images represent the actual





San Juan Fiberglass Pools' Color Selection



Sully Blue











| wiath: | 15 11 / 4.85 M |
|---------|--------------------------------|
| Length: | 44′7″ / 13.59 M |
| Depth: | .3'8"- 7'10" / 1.12 M -2.39 M |
| Area: | $\dots \dots .658ft^2/61.1M^2$ |
| Volume: | 22,000 G /83,279 L |
| | |



| Width: | 15′11″ / 4.85 M |
|--------------|---|
| Length: | 44′7″ / 13.59 M |
| Depth: 3'8"- | 6'4" / 1.12 M -1.93 M |
| Area: | 658 ft ² / 61.1 M ² |
| Volume: | 19,000 G /71,923 L |




| Width: | 16'2" / 4.93 M |
|---------|---|
| Length: | 40'6" / 12.34 M |
| Depth: | 3'8"-6'4"/.97 M -1.93 M |
| Area: | 602 ft ² / 56 M ² |
| Volume: | 20,600 G /77,979 L |





| Width: | 16′1″ / 4.9 M |
|---------|---|
| Length: | 42′4″ / 12.9 M |
| Depth: | .3′3″- 7′11″ / .99 M -2.41 M |
| Area: | 585 ft ² / 54 M ² |
| Volume: | 20,500 G /77,601 L |

Pacific



| Width: | 16'1" / 4.9 M |
|---------|---|
| Length: | 39′10″ / 12.14 M |
| Depth: | 3′3″- 7′11″ / 1.12 M -2.41 M |
| Area: | 559 ft ² / 52 M ² |
| Volume: | 20,500 G /77,601 L |

Great Lake Beach




| Width: | 16′2″ / 4.93 M |
|-------------------|---|
| Length: | 41'8" / 12.7 M |
| Depth: 3'8"- 6'4" | / .97 M -1.93 M |
| Area: | . 585 ft ² / 54 M ² |
| Volume: 14,8 | 874 G /55,000 L |

Great Lakes



| Width: | 16′2″ / 4.93 M |
|---------|---|
| Length: | 37′/ 11.34 M |
| Depth: | 3′8″-6′4″/.97 M -1.93 M |
| Area: | 540 ft ² / 54 M ² |
| Volume: | 14,500 G /55,000 L |

Olympus



| Width: | 16′ 2″ 0.D. / 4.93 M |
|-----------|---|
| Length: | 39′11″0.D. / 12.14 M |
| Depth: 3' | 8"- 5'8" / 1.12 M -1.73 M |
| Area: | 480 ft ² / 45 M ² |
| Volume: | 14,100 G / 53,000 L |

Phoenix



| Width: | 15′11″ / 4.85 M |
|--------|---|
| | |
| | 3′3″- 5′1″/ .91 M -1.55 M |
| | 531 ft ² / 49 M ² |
| | 14 400 G /54 510 L |

Wylela Beach Ultra



| Width: | 16′ / 4.88 M |
|---------|--|
| Length: | 37′ / 11.27 M |
| - | . 3'6"-6' / 1.07 M - 1.83 M |
| Area: | 527ft ² / 49 M ² |
| Volume: | 14, 375G / 54,415 L |

Wylela Cove Ultra



| Width: | 16′ / 4.88 M |
|--------------|--|
| Length: | 37′ / 11.27 M |
| Depth: 3'6"- | - 6′ / 1.07 M -1.83 M |
| Area: | 527ft ² / 49 M ² |
| Volume: | 14, 697G / 55,634 L |

San Juan Fibrglass Pool & Spa Models





| Width: | 15′11″ / 4.85 M |
|-----------------|---|
| Length: | 33′10″ / 10.31 M |
| Depth: 3'8"- 7' | 10" / 1.12 M -2.39 M |
| Area: | 497 ft ² / 46 M ² |
| Volume: | 17,500 G /66,244 L |

Grand Manhattan



| Width: | 15′10″ / 4.83 M |
|--------------|---|
| Length: | 33′10″ / 10.31 M |
| Depth: 3'11" | '- 5'1" / 1.17 M -1.55 M |
| Area: | 487 ft ² / 45 M ² |
| Volume: | 11,600 G / 43,911 L |

Lake Superior



| Width: | 16′2″ / 4.93 M |
|---------|---|
| Length: | 31′/9.6 M |
| Depth: | .3'8"-6'4" / .97 M -1.93 M |
| Area: | 475 ft ² / 44 M ² |
| Volume: | 12,000 G / 45,425 L |

Majestic

| Width: | 16′2″ / 4.93 M |
|---------|---|
| Length: | 34′1″ / 10.39 M |
| Depth: | . 3'6"-5'5" / 1.14 M -1.65 M |
| Area: | 431 ft ² / 40 M ² |
| Volume: | 13,500 G / 51,103 L |

Caesar's Palace Beach



| Width: | $\dots 16^\prime$ / 4.88 M |
|---------|---|
| Length: | 36′3″ / 11.06 M |
| Depth: | 3'4"-5'8" / 1.02 M -1.73 M |
| Area: | $\dots \dots 527 \; \text{ft}^2 / 49 \; \text{M}^2$ |
| Volume: | |

Caesar's Palace



| Width: | 16′ / 4.88 M |
|-----------|---|
| Length: | 33′9″/ 10.29 M |
| Depth: 3' | 4"- 5'8" / 1.02 M -1.73 M |
| Area: | 417 ft ² / 39 M ² |
| Volume: | 11,400 G / 43,154 L |

Dolphin



| Width: | |
|---------|---|
| Length: | 33′1″/ 10.08 M |
| | . 3'9"- 5' / 1.14 M -1.52 M |
| Area: | 395 ft ² / 37 M ² |
| Volume: | 11,500 G / 43,532 L |

Monte Carlo



| Width: | 15′11″/4.85 M |
|---------|---|
| Length: | 31′10″/9.7 M |
| Depth: | . 3'8"-5'8" / 1.12 M -1.73 M |
| Area: | 467 ft ² / 43 M ² |
| Volume: | 12,000 G / 45,425 L |

Wylela Beach Grande



| Width: | 16′ / 3.66 M |
|-------------|---------------------------|
| Length: | 30′ / 9.05 M |
| Depth: 3'6' | "- 6' / 1.07 M -1.83 M |
| Area: | 480ft ² / 34 M |
| Volume: | . 10, 789G / 40,840 L |

Wylela Cove Grande



| Width: | 16' / 3.66 M |
|---------|--|
| Length: | 30' / 9.05 M |
| Depth: | 3'6"-6' / 1.07 M -1.83 M |
| Area: | 480ft ² / 34 M ² |
| Volume: | 11, 200G / 40,840 L |

Lake Michigan



| Width: | 16′ / 4.88 M |
|---------|---|
| Length: | 26′ / 7.92 M |
| Depth: | 5′11″ / 1.93 M |
| Area: | 375 ft ² / 35 M ² |
| Volume: | 10,122 G / 38,316 L |
| | |

Savannah



| Width: | 14' / 4.27 M |
|---------|-------------------------------------|
| Length: | 32′6″/9.91 M |
| Depth: | 3'-5'6"/.91 M -1.68 M |
| Area: | $362 \text{ft}^2 / 34 \text{M}^2$ |
| Volume: | 11,500 G / 43,532 L |

Vegas



| Width: | 15′ 11″ / 4.85 M |
|----------------|---|
| Length: | 27′11″ / 8.5 M |
| Depth: 3'3"- 5 | 5′1″ / 1.07 M -1.55 M |
| Area: | 356 ft ² / 33 M ² |
| Volume: | . 11,300 G / 42,775 L |

iPool



| Width: | 16' / 4.88 M |
|---------|---|
| Length: | 36′2″ / 11.02 M |
| Depth: | 4′ 8″ / 1.42 M |
| Area: | 354 ft ² / 33 M ² |
| Volume: | 8 800 G / 33 312 I |

Stockholm



| Width: | |
|---------|---|
| Length: | 27′1″ / 8.26 M |
| Depth: | . 3′9″- 5′ 9″ / 1.07 M -1.75 M |
| Area: | 345 ft ² / 32 M ² |
| Volume: | 10,000 G / 37,854 L |

Pompano Beach



| Width: | 13′10″ / 4.22 M |
|---------|---|
| Length: | 29′8″/9.04 M |
| Depth: | . 3'7"-5'5" / 1.09 M -1.65 M |
| Area: | $\dots 302 \text{ ft}^2 / 28 \text{ M}^2$ |
| Volume: | 9,500 G / 35,961 L |

Hawaiian



| Width: | |
|---------|---|
| Length: | 29′ / 8.84 M |
| Depth: | 3′6″- 6′ / 1.07 M -1.83 M |
| Area: | 295 ft ² / 27 M ² |
| Volume: | 10,000 G / 37,854 L |

iPool 2



| Width: | 14′ 1″ / 4.29 M |
|---------|---|
| Length: | 27′10″ / 8.48 M |
| Depth: | 5′ / 1.52 M |
| Area: | 294 ft ² / 27 M ² |
| Volume: | . 9.000 G / 34.069 L |

Biloxi



| Width: | 12′ / 3.66 N |
|---------|---|
| Length: | 27′ / 8.28 N |
| Depth: | 4′3″ / 1.3 N |
| Area: | 289 ft ² / 27 M ² |
| Volume: | 6,400 G / 24,227 L |

Marathon



| - | 33 _{33,} | | |
|---|-------------------|---|---|
| - | _ | _ | _ |

| Width: | |
|---------|----------------------------|
| Length: | 40′ / 12.19 N |
| Depth: | 4′9″ / 1.45 N |
| Area: | 282 ft ² / 26 M |
| Volume: | 8,500 G / 32,176 |









| = | |
|-------|------------|
| idth: | 12′ / 3 66 |

Orlando

| Width: | 12′ / 3.66 M |
|---------|---------------------------|
| Length: | 30′ / 9.05 M |
| | 3'6"- 6' / 1.07 M -1.83 M |

Wylela Beach

| Wylela | |
|------------|---|
| Volume: | 8,000 G / 30,283 L |
| Area: | 266 ft ² / 25 M ² |
| Depth: | . 3′5″- 5′ 6″ / 1.04 M -1.68 M |
| Length: | 26′9″/8.15 M |
| ********** | |

Depth: 3'10" / 1.17 M Volume:.....6,750 G / 25,551 L

Area:360ft² / 34 M² Volume:..........7,271 G / 32,176 L



| Width: | 12′ / M |
|---------|---|
| Length: | 25′ / 7.62 M |
| Depth: | . 3'6"- 6' / 1.07 M -1.83 M |
| Area: | 254 ft ² / 24 M ² |
| Volume: | 8,500 G / 32,176 L |





| Width: | 11′5″/3.48 M |
|---------|--|
| Length: | 20′9″/6.32 M |
| Depth: | 4′ / 1.22 M |
| Area: | 240ft ² / 22 M ² |
| Volume: | 4500G / 17034 L |

Gulf Breeze





| Lenath: | 20′ / 6.1 M |
|---------|---|
| - | 3′10″/1.17 M |
| | 212 ft ² / 20 M ² |
| Volume: | 5,600 G / 21,198 L |
| | |



| MP Jel. | 16/ / 4 00 M |
|---------|---|
| wiatn: | 16' / 4.88 M |
| Length: | 24′ / 7.32 M |
| Depth: | 4′9″ / 1.45 M |
| Area: | $\dots 200 \text{ ft}^2 / 19 \text{ M}^2$ |
| Volume: | 5,200 G / 19,684 L |

Malibu



| W | idth: | 12′1″/3.68 M |
|----|---------|---|
| Le | ength: | 22′4″/6.81 M |
| D | epth: | 3′9″/1.14 M |
| Aı | rea: | 184 ft ² / 17 M ² |
| Vo | olume:5 | ,025 G / 19,022 L |
| | | |

Sea Isle



| Width: | 12′ / 3.66 M |
|---------|---|
| Length: | 16′6″ / 5.03 M |
| Depth: | 5′ / 1.52 M |
| Area: | 171 ft ² / 16 M ² |
| Volume: | . 5.200 G / 19.684 I |

Scottsdale



West Coast Factory Only

| Width: | 12′8″ / 3.85 M |
|---------|---|
| Length: | 19'6" / 12.34 M |
| Depth: | 4′/1.22 M |
| Area: | 288 ft ² / 27 M ² |
| Volumos | 5 200 G /10 684 I |

Cyberlane





| Width: | 8′6″ / 2.59 M |
|---------|---|
| Length: | 23′ / 7.01 M |
| Depth: | 4′ 9″ / 1.45 M |
| Area: | 159 ft ² / 15 M ² |
| Volume: | . 4,240 G / 16,050 L |

Palm Beach





| WIGHT | 10 J / J.10 IVI |
|---------|---|
| Length: | 21′10″ / 6.65 M |
| Depth: | 3′8″-4′11″ / 1.12 M -1.5 M |
| Area: | 157 ft ² / 15 M ² |
| Volume: | 4,800 G / 18,170 L |
| | |

Ft Myers





| Width: | 8′ 2″ / 2.49 M |
|---------|---------------------------------------|
| Length: | 16′2″ / 4.93 M |
| Depth: | 4′ / 1.22 M |
| Area: | 95 ft ² / 9 M ² |
| Volume: | . 2,650 G / 10,031 L |

Canyon Beach



Coming Soon - Preorder Now

| Width: | 9'6" / 2.93 M |
|---------|---------------------------------------|
| Length: | 22′ / 6.71 M |
| Depth: | 3′6″ / 1.07 M |
| Area: | 160ft ² /15 M ² |
| Volume: | 3698 G / 13 998 I |

Canyon Lake



West Coast Factory Only

| Width: | 10′ / 3.05 N |
|---------|--|
| Lenath: | 19′ / 5.97 N |
| 3 | 3′6″ / 1.07 N |
| | 144ft ² / 13 M ² |
| | 3500 G / 13 249 I |

Sedona



| _ | |
|---|--|
| | |
| | |

| Width: | 8′/ 2.44 M |
|---------|--------------------------------------|
| Length: | 14′ / 4.27 M |
| Depth: | 3′6″ / 1.08 M |
| Area: | 98 ft ² /9 M ² |
| Volume: | . 2,750 G / 10,135 L |

Quality Fiberglass Pools Since 1958



800-535-SWIM SanJuanPools.com

West Coast Factory Only





| wiath: | 10 / 4.88 IVI |
|---------|---|
| Length: | 45′ / 13.72 M |
| Depth: | .3'6"-8' / 1.07 M -2.44 M |
| Area: | 556 ft ² / 52 M ² |
| Volume: | 17.944 G /75.708 L |

M/: Jala

South Beach



| Width: | 16′ / 4.88 M |
|---------|---|
| Length: | 45′ / 13.72 M |
| Depth: | .3'6'-6'4" / 1.07 M -1.93 M |
| Area: | 556 ft ² / 52 M ² |
| Volume: | 15,966 G /68,137 L |

Oasis



| Width: | 16′ / 4.88 M |
|--------------|---|
| Length: | 39′8″ / 12.09 M |
| Depth: 3'6"- | 7′11″ / 1.12 M -2.41 M |
| Area: | 496 ft ² / 46 M ² |
| Volume: | 17,950 G /67,948 L |
| | |

Mirage




| Width: | 15'8" / 4.78 M |
|---------------|---|
| Length: | 39'8" / 12.09 M |
| Depth: 3'6"-5 | 5′4″ / 1.12 M -1.63 M |
| Area: | 466 ft ² / 43 M ² |
| Volume: | . 14,050 G / 53,185 L |

Star Dust



| Width: | 16' / 4.88 M |
|---------|---|
| Length: | 37′ 4″ / 11.38 M |
| Depth: | 3'6"-6'4" / 1.14 M -1.93 M |
| Area: | 455 ft ² / 42 M ² |
| Volume: | 13,700G / 51,860 L |

Clearwater Beach



| Width: | 16′ / 4.88 M |
|---------|---|
| Length: | 37′ 4″ / 11.38 M |
| Depth: | . 3′6″-6′4″ / 1.14 M -1.93 M |
| Area: | 455 ft ² / 42 M ² |
| Volume: | 11,300G / 42,775 L |

Pleasure Island



| Width: | 16′ 2″ / 4.93 M |
|---------|---|
| Length: | 39′1″ / 11.91 M |
| - | 3'- 6' / .91 M -1.83 M |
| Area: | 448 ft ² / 42 M ² |
| Volume: | 14,000 G / 52,996 L |

Atlantic Deep



| Width: | 15′7″ / 4.75 M |
|---------|---|
| Lenath: | |
| 3 | 3'8"- 8' / 1.12 M -2.44 M |
| | 375 ft ² / 35 M ² |
| Volume: | 11,300 G / 42,775 L |

Atlantic



| Width: | 15′7″ / 4.75 M |
|---------|---|
| Length: | 33′1″ / 10.08 M |
| | "- 5'9" / 1.12 M -1.75 M |
| Area: | 375 ft ² / 35 M ² |
| Volume: | 10 400 G / 39 368 I |

Costa Azul



| Width: | 15′2″ / 4.60 M |
|---------|---|
| Length: | 32′7″ / 12.34 M |
| Depth: | 5′7″ / .97 M -1.70 M |
| Area: | 402 ft ² / 38 M ² |
| Volume: | 8,000 G /39,000 L |

Sandcastle



West Coast Factory Only

| Width: | 13′11″ / 4.85 M |
|----------------|---|
| Length: | 27′ 10″ / 8.5 M |
| Depth: 3'7"- 5 | 5′ 5″ / 1.09 M -1.65 M |
| Area: | 356 ft ² / 33 M ² |
| Volume: | 8.300 G / 31.418 L |

Manatee Deep



| Width: | 13′9″/4.19 M |
|---------|---|
| Length: | 32′ 10″ / 10.01 M |
| - | '- 8' / 1.07 M -2.44 M |
| Area: | 354 ft ² / 33 M ² |
| Volume: | . 13.700 G / 51.860 L |

Manatee



| Width: | 13′9″/4.19 M |
|--------------|---|
| Length: | 32′10″ / 10.01 M |
| Depth: 3'6"- | - 5′ 10″ / 1.07 M -1.78 M |
| Area: | 354 ft ² / 33 M ² |
| Volume: | 10 300 G / 38 990 I |

Huntington Beach



| Width: | |
|---------|---|
| Length: | 28′ 4″ / 8.64 M |
| Depth: | 3′6″- 5′ 7″ / .91 M -1.7 M |
| Area: | 324 ft ² / 30 M ² |
| Volume: | 7,393 G / 27,985 L |

Rio



| Width: | 15′ 10″ / 4.83 M |
|---------|---|
| Length: | 28′ 4″ / 8.64 M |
| Depth: | 3′6″-5′7″/.91 M -1.7 M |
| Area: | 324 ft ² / 30 M ² |
| Volume: | 10,000 G / 37,854 L |

Venetian



| Width: | 14′ 10″ / 4.52 M |
|--------|-------------------------------------|
| | |
| | 5"- 5' 4" / 1.04 M -1.63 M |
| | $311 \text{ ft}^2 / 29 \text{ M}^2$ |
| | 9,500 G / 35,961 L |

Desert Falls



100

| Length: | 30′ / 9.14 M |
|---------|---|
| Depth: | . 3′1″- 6′ / .94 M -1.83 M |
| | 290 ft ² / 27 M ² |
| Volume: | 6,800 G / 25,741 L |

Desert Springs



| Width: | 14′ / 4.27 N |
|--------|----------------------------|
| ength: | 30′/9.14 N |
| Depth: | . 3′1″- 6′ / .94 M -1.83 N |
| lrea. | 290 ft ² / 27 M |

Volume: 6,800 G / 25,741 L

Seaside



| Width: | |
|---------|---|
| Length: | 27′ 10″ / 8.48 M |
| Depth: | 3′6″-6′ / 1.07 M - 1.83 M |
| Area: | 242 ft ² / 22 M ² |
| Volume | 8 000 6 / 30 283 1 |

Catalina



| Width: | |
|---------|---|
| Length: | 25′10″ / 7.87 N |
| Depth: | 3′7″-5′7″ / 1.09 M -1.7 N |
| Area: | 218 ft ² / 20 M ² |
| Volume: | 6,800 G / 25,741 L |
| | |









| \mathbb{U} | |
|--------------|---------|
| - | |
| | 11′9″/3 |

Cocoa Beach

| Width: | 11′9″/3.58M M |
|---------|---|
| Length: | 23′9″/7.24 M |
| Depth: | . 3′6″-5′ 7″ / 1.07 M -1.7 M |
| Area: | 190 ft ² / 18 M ² |
| Volume: | 6,600 G / 24,984 L |

Sundial



| Width: | 11′9″/3.58 M |
|---------|---|
| Length: | 23′9″/7.24 M |
| Depth: | 3′6″-5′7″ / 1.07 M -1.7 M |
| Area: | 190 ft ² / 18 M ² |
| Volume: | 6,400 G / 17,413 L |



| Width: | |
|---------|---|
| Length: | 20′9″ / 6.32 M |
| | 3′8″- 4′ 11″ / 1.12 M -1.5 M |
| | 179 ft ² / 17 M ² |
| Volume: | 4,000 G / 15,142 L |

Crystal Beach

Volume: 6,600 G / 24,984 L



| Width: | 13'8" / 4.17 M |
|---------|---|
| Length: | 17′4″ / 5.28 M |
| Depth: | . 3′7″-5′ 2″ / 1.09 M -1.57 M |
| Area: | 147 ft ² / 14 M ² |
| Volume: | 4,000 G / 15,142 L |

Crystal Cove



| Width: | 11'11"/3.63 M |
|----------|---|
| Length: | 18′11″ / 5.77 M |
| Depth: 3 | ′7″-5′ / 1.09 M -1.52 M |
| Area: | 141 ft ² / 13 M ² |
| Volume: | 3,300 G / 12,492 L |

Crystal Springs



| Width: | 11′11″/3.63 M |
|---------|---|
| Length: | 17′ 2″ / 5.23 M |
| Depth: | 4′2″-5′ / 1.27 M -1.52 M |
| Area: | 119 ft ² / 11 M ² |
| Volume: | 3,900 G / 14,763 L |

Check Out Our 3D Interactive Pool Drawings https://www01.sanjuanpools.com/downloads/engr/3D/3dindex.htm












Check Out Our Pool Detail Drawings

https://www01.sanjuanpools.com/downloads/engr/details/pooldetails.htm








San Juan Fibrglass Pool & Spa Models

Tanning Ledge - Freeform





| Width: | 13′5″ / 4.11 M |
|---------|---|
| Length: | 20′1″ / 6.13 M |
| Depth: | 3′4″ / 1.03 M |
| Area: | 151 ft ² / 14 M ² |
| Volume: | . 3,550 G / 13,438 L |



| Width: | 8′/2.44 M |
|---------|--------------------------------------|
| Length: | 12′/3.66 M |
| Depth: | 3′2″/0.97 M |
| Area: | 85ft ² / 8 M ² |
| Volume: | 950 G / 3 596 I |



| Width: | . 8'4"/2.54 M |
|---------|-------------------------------------|
| Length: | 10′10″/3.3 M |
| Depth: | . 3'2"/0.97 M |
| Area: | 82ft ² / 8M ² |
| Volume: | 393 G / 1488 L |



| Width: | 8′ / 2.44 N |
|---------|--------------------------|
| Length: | |
| Depth: | 2′11″/0.89 N |
| • | 42 ft ² / 4 M |
| Volume: | |



| Width: | 11′ 7″/ 3.6 M |
|---------|---------------------------------------|
| Length: | 7′ 7″/2.35 M |
| Depth: | 1′/ 0.16 M |
| Area: | 65 ft ² / 7 M ² |
| Volume: | 150 G / 567 L |



| Width: | 13′5″/4.11 M |
|---------|---|
| Length: | 20′1″/6.13 M |
| Depth: | 3′4″/ 1.03 M |
| Area: | 151 ft ² / 14 M ² |
| Volume: | 3.550 G / 13.438 L |



| Width: | 9' / 2 AA M |
|---------|-----------------|
| | |
| Length: | 8' / 2.44 M |
| Depth: | 3'2"/0.97 M |
| Area: | |
| Volume: | 550 G / 2,082 L |



| _ | |
|---------|--------------|
| Width: | 7′ 1″/ 1.8 M |
| Length: | 6′ 11″/1.8 M |
| Depth: | |
| Area: | |
| Volume: | |



| 8′ / 2.44 M |
|---------------------------------------|
| 8′ / 2.44 M |
| 3′ / 0.91 M |
| 39 ft ² / 4 M ² |
| 500 G / 1,893 L |
| |



| Width: | 8′ 3″/ 2.5 M |
|---------|---------------|
| Length: | 12' /3 64 M |
| Depth: | |
| • | |
| Area: | |
| Volume: | 100 G / 378 L |



| Width: | 11′6″/3.51 M |
|---------|---|
| Length: | 18′2″ / 5.54 M |
| Depth: | 3′9″ / 1.14 M |
| Area: | 120 ft ² / 11 M ² |
| Volume: | . 2,050 G / 7,760 L |



| Width: | 8′10″/2.69 M |
|---------|-------------------|
| Length: | 8′10″/2.69 M |
| Depth: | 3′7″ / 1.09 M |
| Area: | 54 $ft^2 / 5 M^2$ |
| Volume: | 755 G / 2,858 L |



| Width: | 7′ 1″/ 1.8 M |
|---------|-----------------------------------|
| Length: | 6′ 11″/1.8 M |
| Depth: | . 3′3″/0.99 M |
| Area: | $45 \text{ ft}^2 / 4 \text{ M}^2$ |
| Volume: | 550 G / 2,082 L |



| Width: | 6'10"/2.08 N |
|---------|-----------------------------------|
| Length: | 6'10"/2.08 N |
| Depth: | 3' / 0.91 N |
| Area: | $30 \text{ft}^2 / 3 \text{M}^2$ |
| Volume: | 350G / 1,325 I |
| | |



| Width: | 16'/ 4.88 M |
|---------|---|
| Length: | 14′/4.27 M |
| Depth: | 3′3″ / 0.99 M |
| | 224 ft ² / 21 M ² |
| Volume: | 2100 G / 7,949 L |



| Width: | 10′10″/3.3 M |
|---------|---------------------|
| Length: | 15′6″ / 4.72 M |
| Depth: | 3′9″/1.14 M |
| Area: | 99 $ft^2 / 9 M^2$ |
| Volume: | . 2,100 G / 7,949 L |



| Width: | |
|---------|---------------------------------------|
| Length: | 9′ / 2.74 M |
| Depth: | 4′/.64 M |
| Area: | 64 ft ² / 5 M ² |
| Volume: | 700 G / 2,650 L |



| Width: | |
|---------|-----------------|
| Length: | 10′3″/3.12 M |
| Depth: | |
| Area: | |
| Volume: | 700 G / 2,650 L |



| Width: | 6′ 1″ / 1.85 M |
|---------|--------------------------------------|
| Length: | 6′ 1″ / 1.85 M |
| - | 2′11″ / 0.89 M |
| | 26ft ² / 2 M ² |
| Volume: | 300 G / 1,136 L |

Will It Fit?

Will Your favorite San Juan Fiberglass Pool fit in Your backyard?

Let's find out the easy way with San Juan Pools'"canibuild" software.

Just go to SanJuanPools.com and key in your address,

pick your favorite pool and place in your yard.

LOOK


It's that simple!!


https://sanjuanpools.com



SCAN ME!







New Swimming Pool Checklist

Here are some essential considerations for you to discuss as you near agreement on your new San Juan Pool.

Why do you want a pool? Sometimes we want a pool just for family fun, but sometimes a pool will be for grandchildren or relaxation or perhaps therapeutic use. Whatever your reasoning, be certain you have your pool built for you and your needs. Many people will have many opinions about your new pool, but the most important consideration should be what will be your needs - what do you want? Once the pool is constructed, you can be certain everyone will agree it is the perfect swimming pool.

Deep end, or shallow deep end? This question has created endless debates over the kitchen table. As you discuss the final depth of your "deep end" remember these things. Children don't care how deep their pool will be as long as they can play. If you have a serious diver in your home then perhaps a diving pool will be important, but for most people a moderate 5 ½ to 6' depth will be plenty and will let the adults use the entire pool. The older we are, the less we want to tread water so design your pool for how you want to use your pool. Your children will love whatever pool you choose the first time they jump in.







Staycation

Staycation: (a portmanteau of "stay" and "vacation") is a period in which an individual or family stays home and participates in leisure activities.





Enjoy the Safety and
Protection of your own
Backyard while spending
time with your entire family
All Summer Long!